

Product Data Sheet



Triden Dexron VI ATF

FEATURES

Triden Dexron VI ATF is a fully formulated fluid licensed and approved for use in General Motors automatic transmissions. Dexron VI is the only GM approved specification for vehicles of model years 2006 and newer. It provides smooth shifting, even in GM's new Hydra-Matic 6L80 transmission.

Triden Dexron VI ATF provides superior friction durability as required by the Dexron VI specification, thereby offering satisfactory operation over the life of the vehicle.

Triden Dexron VI ATF is a fully synthetic product, with excellent oxidation stability, shear stability, and provides excellent low temperature fluidity to ensure proper operation of today's transmissions fitted with electronic controls and smaller orifices.

BENEFITS

- GM approved
- Lower foaming
- Excellent oxidation stability
- Better protection against pitting
- Highly shear stable
- Fully synthetic formulation

TYPICAL CHARACTERISTICS

Triden Dexron VI ATF	
<i>Property</i>	
Kinematic Viscosity, D-445 cSt @ 100°C cSt @ 40°C	6.0 27.3
Viscosity Index, Calculated	175
Brookfield Viscosity, D-2893 cP @ -40°C	11,500
Color, Visual	Red

Typical test data are average values only.

Minor variations that do not affect product performance are to be expected during normal manufacturing.